

HeatCo[®]
I n t e r n a t i o n a l



Italian Radiators



® GLOBAL

R A D I A T O R I

Vip 22 ISEO 22



COMFORT and ENERGY SAVING

Global aluminium radiators allow easy and immediate control of the temperature in each room, saving energy and providing maximum comfort

WORKING AT LOW TEMPERATURE

Thanks to the high thermal conductivity of aluminium, Global radiators can also be used in installations with condensing boilers and low water temperatures

ENVIRONMENT

Global is the result of 40 years of experience and technological development; they look good, respond instantly to maintain desired temperature, save energy and they can be completely recycled.



GLOBAL radiators have a ten year guarantee starting from the date of manufacture. This guarantee covers the replacement of those elements that because of manufacturing or material defects are not usable, but only on condition that installation has been executed in compliance with suitable regulations and correct installation.



ardesia 22



Material:

Heads moulded in mild steel plate.
Tubes in mild steel electro-welded \varnothing 25 mm.

Packing:

The radiator is protected by a recycled film in polyethylene and with a box in recycled carton. User notice included.

Painting process

Painted with ecological epoxy powders.

Colours:

Standard white RAL 9010. Other colours surcharge 30%.

Ardesia®

is one the leading production of Cordivari. This complete range of radiatorssuitable for all private and communitarian living space expresses the best of Cordivari experience, leader from more than 25 years of the radiators production.



Radiators provided in separate batteries to facilitate transport and installation. Batteries can be joined together (nipping operation) with lock key smaller than 1 mt. Each couple of batteries inclusive of 2 nipples and 2 Cordivari seals. For batteries with more than 83 sections with lateral connection,

IMAS

APOLLO^{EXTRA} 22-DK



Manufactured

with the best production technologies to offer efficient convection and radiation, the new production of APOLLO EXTRA panels guarantees maximum yield in perfect comfort. These new panels have high heat radiance which is particularly important for system operating at low temperature. The well-produced design adapts to any furniture solution and the absence of sharp edges ensures perfect safety even very open rooms.

Painting: degreasing with hot phosphating. First coat with water – soluble primer and baking at 180°C according to DIN 55900 standard. Second coat with polyester epoxide powders, colour RAL 9010 (ice) baked at 220° C.




Packing

Every radiator is packed in ondulated cardboard and protected by a sheet of tough thermoretractile polyethylene.



Main Features A wide range of models subdivided into five heights and three thicknesses. Better heat emission than any other traditional heatingbody; Prompt working of the heating system. Easy to install even in remaining spaces. Top reliability guaranteed by careful finish and tasting.

Dimensions cm

watt.				
	22-DK	IESO 22	Vip 22	Ardesia 22
867	30x60	43x64	44x64	30x64
1094	40x60	43x72	44x72	40x64
1146	50x50	58x56	59x56	50x50
1334	50x60	58x64	59x64	50x64
1603	50x70	58x72	59x72	50x73
1833	50x80	58x80	59x80	50x82
2061	50x90	58x96	59x88	50x92
2219	50x100	58x104	59x104	50x101
1548	60x60	68x64	69x64	60x64
2392	60x90	68x96	69x88	60x92
2658	60x100	68x104	69x104	60x101
2189	60x120	68x120	69x120	60x124
3721	60x140	68x144	69x144	60x142
2733	80x80	79x80	79x80	90x82
3975	80x90	79x96	79x88	90x92
3416	80x100	79x104	79x104	90x101
4100	80x120	79x120	79x120	90x124
5466	80x160	79x160	79x184	90x161

Imas		Global		Cordivari	
30	25	/	/	30	24.4
40	35	44	35	40	34.4
50	450	59	50	50	44.4
60	550	69	60	60	54.4
80	750	79	70	90	84.4



HeatCo[®]
International

14 M. Zaky Mounir St. Makram Ebaid ,Nasr City , Cairo.
Tel.: (+202) 23497375 / 2349179 Fax: (+202) 22729935 / 22729937
Mob.: 0100 6109735 www.heatcointernational.com